Automatic order forwarding via API call. Direction of communication:

Pepita → Partner store (push), i.e.:

When an order arrives at Pepita, the order is automatically forwarded to the API endpoint provided by the partner store.

It might be useful to agree on a common key (a random string of sufficient length) for the API, and this key would always be added to the code when calling the URL used for forwarding the order. (For example,

https://api.partneraruhaz.hu/order/store?apikey=gwerty

In this way, we can avoid needless communication through the URL.

Example of JSON data structure to be used for order forwarding, and the definition of properties:

"origin": This is where the order originates from. It might be useful to save it for later for purposes

of statistics (or for other reasons) so that the origin of the order is known.

"id": Unique order ID, which can also be found in the partner's administration interface.

"date": Date of the order (when the customer submitted the order).

"payment mode": Payment mode, possible values:

- cod: cash on delivery
- transfer: money transfer
- creditcard: credit card
- "customer_message": Comment by the customer that can be optionally entered during the ordering process
- "courier_message": Customer's comment about delivery. E.g.: The courier should call me before arrival on 06-20-1234567.
- "status": By default, this is not forwarded, but we can forward any status that triggers an event at the partner store, if required. E.g.: "new_order" "payment_status": Payment status it may take either of two values:
 - paid: paid this status is normally assigned to payment by credit card
 - unpaid: unpaid
- "total_shipping_price": The total gross value of the shipping price to be paid
- "total_shipping_price_currency": Currency of the shipping price
- "voucher": The total amount paid by voucher
- "delivery mod": Possible values:
 - shipping: The default value for an order
 - gls: Delivery via GLS courier
 - gls_parcelshop: GLS parcel box delivery
 - mpl: Delivery via MPL courier
- "customer": Data structure containing customer information
 - "last name": Customer's last name
 - "first_name": Customer's first name
 - "phone": Customer's phone number
 - "email": Customer's e-mail address
 - "billing name": Billing information billing name,
 - $"billing_country": Billing\ information-country\ code,$
 - "billing city": Billing information city, town or village,
 - "billing_street": Billing information street, house, floor, door number
 - "billing_street_address": Billing information street name
 - "billing_house_number": Billing information house, floor, door number
 - "billing_postal_code": Billing information postal code,
 - "shipping country": Shipping information country,
 - "shipping_county": Shipping information county, only for Romanian orders,
 - "shipping city": Shipping information city, town or village,
 - "shipping street": Shipping information street, house, floor, door number,

```
"shipping postal code": Shipping information – postal code,
         "shipping street address": Shipping information - street name,
         "shipping house number": Shipping information – house, floor, door number,
         "tax number": Customer's tax number (if they made a company purchase)
"products": Array data structure containing information of ordered products
         "id": pepita ID of the product
         "sku": stock-keeping unit code of the product (given by the partner)
         "currency": currency
         "quantity": ordered quantity
         "price": gross sales price of the product given in HUF
         "vat": VAT rate given as a percentage (e.g. 27%)
Example:
"origin": "pepita.hu",
"id":118924,
"date": "2018-05-21 10:23:41",
"payment_mode":cod,
"customer message": "Tisztelt Partner\u00fcnk! A vev\u0151 t\u00f6bb helyr\u01511 is
v\u00e1s\u00e1rolt, elk\u00e9pzelhet\u0151, hogy megjegyz\u00e9se nem \u00d6nre
vonatkozik.
Ebben az esetben hagyja figyelmen k\u00edv\u00fcl! Vev\u0151 megjegyz\u00e9se:
K\u00e9zbes\u00edt\u00e9s el\u0151tt f\u00e9l \u00f3r\u00e1val,h\u00edvjon a 06-30-111-
11111as telefonsz\u00e1mon!",
"courier message": "Keremhivjanakelotte",
"status": "new order",
"payment status":"unpaid",
"total_shipping_price":1200,
"total shipping price currency":"HUF""voucher": "",
"delivery_mod": "mpl",
"customer":{
         "last name": "Teszt",
         "first name": "Péter",
         "phone": "06201111111",
         "email":"teszt.peter@pepita.hu",
         "billing name": "Teszt Péter",
         "billing country":"HU",
         "billing_city":"Miskolc",
         "billing_street":"Teszt u.14",
         "billing_street_address":"Teszt u."
         "billing house number":"14"
         "billing postal code": "3534",
         "shipping country":"HU",
         "shipping city":"Miskolc", "shipping_street": "Teszt u.14",
         "shipping street address": "Teszt u",
         "shipping house number":"14",
         "shipping_postal_code":"3534"
"products":[
         "id":"139955",
         "sku":"ozq123",
         "currency":"HUF",
         "quantity":2,
         "price":3192,
         "vat":27,
         "id":"139956",
```

```
"sku":"ozq124",
         "currency":"HUF",
         "quantity":2,
         "price":3192,
         "vat":27,
         },
         "id":"139957",
         "sku":"ozq125",
         "currency":"HUF",
         "quantity":2,
         "price":3192,"vat":27,
         },
],
The example JSON data structure below is recorded in response to the request, to make
the communication has been successful and that the submitted data has been received.
"isError": Indicates whether the partner's store successfully received the order information.
Possible values:
         - false: The order has been received successfully
         - true: There was a problem saving the order
"responseCode": ResponseCode returned by the partner store's system
"message": Comment that can be provided by the partner's store; any information related to the
communication can be provided, typically in the case of a processing error.
Example 1:
"isError":false,
"responseCode:200,"messages":[]
}
Example 2:
"isError":true,
"responseCode:500
"message":"Invalid
```

}